Network Digital Menu Boards

32" | 43" | 50" | 55"



Complete Package Solution

We have combined a 24/7 commercial display, a network Android media player, one year free CMS software and a library of predesigned templates for the ultimate package solution.





Save time and Money

1st Year Free Software Subscription

The first year of using our cloud based CMS is absolutely free. You can also purchase 3 additional year's access at the point of purchase or make a one off payment to have access for life.



24/7 Commercial Use

These displays use a commercial grade LCD panel and LED backlight. They have the ability to be in constant use 24/7 for over 70,000 hours and have no external buttons or controls to avoid tampering.





Exclusive Template Library

As well as being able to create your own layouts you can choose from our exclusive library of pre-design editable templates. Choose an existing layout, add your own images and information then publish it to your screen.



450cd/m² IPS Panel

Commercial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature when used in either landscape or portrait.





Update Instantly and From Anwhere

No special software installation or dedicated PC is required, simply login to our online your portal and update your screens from anywhere in the world with an internet connection.



Multi Screen Synchronisation

Create stunning content across multiple displays or just have your menus change at the same time.



Narrow Bezel

The slim border on the Digital Menu Boards allows your menu to take centre stage especially when multiple displays are placed side by side.



Power Timer

The eco-friendly power timer allows you to assign daily or weekly on and off times for your screen meaning that it is only in use when it needs to be; improving your environmental efficiency.




Wide Viewing Angle

Thanks to the IPS technology these displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.



Low Power Consumption

The LED backlight technology provides improved brightness and contrast. Their lifespan is drastically improved to over 70,000 hours and the power consumption is reduced by around 30%.



Plug and Play Backup

If you lose your internet connection you can still update the screen using a USB stick to keep things simple.











IPS PANEL



24/7 COMMERCIAL GRADE



LANDSCAPE OR PORTRAIT ORIENTATION



INTEGRATED SPEAKERS



















Specification Table

		32 Inch	43 Inch	50 Inch	55 Inch	
	Resolution	1920x1080				
Panel	Display Area (mm)	698.4x393	941.2x529.4	1073.8x604	1209.6x680.4	
	Aspect Ratio		16:9			
	Brightness (cd/m²)	450				
	Colour	16.7M				
	Viewing Angle	178°				
	Contrast Ratio		4000:1			
Audio	Speaker Type	5W, 8Ω (x2)				
AV Inputs	Video		HDMI, VGA			
	Audio		Audio Socket (3.5mm)			
Power	Power Consumption (W)	38	45	55	65	
	Input Voltage		AC110~240V (50Hz~60Hz)			
Mechanical	Unit Size (WxHxD mm)	716.2x415x45.95	963.6x557.9x46.1	1090.4x621.3x56.9	1232x708.9x50.4	
	Package Size (WxHxD mm)	870x565x170	1067x660x163	1238x760x195	1380x835x195	
	VESA Holes (mm)	400	400x200 400x400, 400x200 400x		400x200	
	Net Weight (kg)	8.6	11.25	19.3	18	
	Gross Weight (kg)	11.8	15.2	24	23.95	
Environmental	Operating Temperature	0 °C to 50 °C				
	Storage Temperature		-30°C to 60°C			
	Operating Humidity		10% to 80%			
	Storage Humidity		5% to 95%			
Computer	Media Formats	Video (MPG,	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
	Media Resolution		1920x1080/1080x1920			
	Internal Memory		6GB			
	CPU	Quad-Core ARM Cortex A17, 1.6GHz				
	GPU	Quad-Core ARM Mali-T764				
	RAM	2GB DDR3				
	ROM	8GB eMMC				
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)				
	LAN	10/100M Ethernet				
	Wi-Fi		802.11b/g/n/ac			
	OS		Android 7.1			
	Graphic Engine	Оре	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1			
Accessories	Included		Scheduling Software, Remote Control, User Manual			
	Optional		Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand			
Warranty	Warranty Period		3 Year Warranty			
	Technical Support		Lifetime			

rrors and omissions excepted

